

SIEMENS



Transducers

ACUSON S2000™ Ultrasound System

Release 3.0

TABLE OF CONTENTS

7CF2 Transducer.....	3	4V1c Transducer.....	8
6C2 Transducer.....	3	18L6 HD Transducer.....	9
6C1 HD Transducer.....	4	14L5 SP Transducer.....	9
4C1 Transducer.....	4	14L5 Transducer.....	10
9EVF4 Transducer.....	5	9L4 Transducer.....	10
EC9-4 Transducer.....	5	V7M Transducer.....	11
EV-8C4 Transducer.....	6	V5Ms Transducer.....	11
4P1 Transducer.....	6	CW5 Transducer.....	12
10V4 Transducer.....	7	CW2 Transducer.....	12
8V3 Transducer.....	7	AcuNav 8F.....	13
4V1 Transducer.....	8	AcuNav 10F.....	13



7CF2 Transducer

Frequency Bandwidth:	2 – 7 MHz
Exam Types:	Abdomen, Fetal Echo, OB/GYN, Pelvis, Renal

Design Attributes:

- Lightweight transducer with flexible cable
- Ergonomically designed form factor
- User-selectable MultiHertz™ multiple frequency imaging
- Wide bandwidth curved array volume transducer



6C2 Transducer

Frequency Bandwidth:	2 – 6 MHz
Compatible With:	ACUSON Sequoia™ ultrasound system
Exam Types:	Abdomen, Fetal Echo, OB/GYN, Pediatric Abdomen, Pelvis, Peripheral Vascular Arterial, Peripheral Vascular Venous, Renal

Design Attributes:

- Curved Vector Format
- Hanafy lens transducer technology
- Ergonomically designed form factor
- User-selectable MultiHertz imaging



6C1 HD Transducer

Frequency Bandwidth:	1.5 – 6.0 MHz
-----------------------------	---------------

Exam Types:	Abdomen, Fetal Echo, OB/GYN, Pelvis, Renal
--------------------	--

Design Attributes:

- Curved Vector Format
- Hanafy lens transducer technology
- User-selectable MultiHertz imaging
- Ergonomic design with ElastoGrip™ ergonomic grip coating



4C1 Transducer

Frequency Bandwidth:	1 – 4.5 MHz
-----------------------------	-------------

Compatible With:	ACUSON Sequoia ultrasound system ACUSON Aspen™ ultrasound system
-------------------------	---

Exam Types:	Abdomen, Fetal Echo, OB/GYN, Pelvis, Renal
--------------------	--

Design Attributes:

- Curved Vector Format
- Hanafy lens transducer technology
- User-selectable MultiHertz imaging

**At the time of publication, the U.S. Food and Drug Administration has cleared ultrasound contrast agents only for use in LVO. Check the current regulations for the country in which you are using this system for contrast agent clearance.*



9EVF4 Transducer

Frequency Bandwidth:	4 – 9 MHz
Exam Types:	Fetal Echo, Neonatal Head, OB/GYN

Design Attributes:

- Wide bandwidth endovaginal volume transducer
- Lightweight transducer with flexible cable
- User-selectable MultiHertz imaging



EC9-4 Transducer

Frequency Bandwidth:	3.75 – 9 MHz
Exam Types:	Neonatal Head, OB/GYN, Prostate

Design Attributes:

- Ergonomically designed form factor
- Lightweight transducer with flexible cable
- User-selectable MultiHertz imaging
- Harmonic compounding
- Curved array format

**Cadence CPS available on prostate exam only*



EV-8C4 Transducer

Frequency Bandwidth: 4 – 9 MHz

Exam types: Endovaginal Gynecology, Endovaginal Obstetrics

Design Attributes:

- Tightly curved format
- Wide field of view
- User-selectable MultiHertz imaging
- Harmonic Compounding



4P1 Transducer

Frequency Bandwidth: 1 – 4.5 MHz

Exam Types: Abdomen, Adult Echo, Fetal Echo, OB/GYN, Pediatric Echo, Pelvis, Renal, Transcranial

Design Attributes:

- Multi-D™ matrix array transducer
- Ergonomically designed form factor
- Lightweight transducer with flexible cable
- User-selectable MultiHertz imaging
- Vector™ imaging format



10V4 Transducer

Frequency Bandwidth:	4 – 10 MHz
Compatible With:	ACUSON Sequoia ultrasound system
Exam Types:	Neonatal Echo, Neonatal Head, Pediatric Abdomen, Pediatric Echo, Pelvis, Renal

Design Attributes:

- Vector imaging format
- User-selectable MultiHertz imaging



8V3 Transducer

Frequency Bandwidth:	2.5 – 8 MHz
Compatible With:	ACUSON Sequoia ultrasound system
Exam Types:	Fetal Echo, Neonatal Echo, Neonatal Head, Pediatric Abdomen, Pediatric Echo

Design Attributes:

- Hanafy lens transducer technology
- Vector imaging format
- User-selectable MultiHertz imaging



4V1 Transducer

Frequency Bandwidth:	1 – 4.5 MHz
Compatible With:	ACUSON Sequoia ultrasound system ACUSON Aspen ultrasound system
Exam Types:	Abdomen, Fetal Echo, OB/GYN Pelvis, Renal

Design Attributes:

- Hanafy lens transducer technology
- User-selectable MultiHertz imaging
- Harmonic compounding
- Vector imaging format



4V1c Transducer

Frequency Bandwidth:	1 – 4.5 MHz
Compatible With:	ACUSON Sequoia ultrasound system
Exam Types:	Abdomen, Adult Echo, Pediatric Echo, Renal, Transcranial

Design Attributes:

- Hanafy lens transducer technology
- Sector imaging format
- User-selectable MultiHertz imaging
- RF shielding



18L6 HD Transducer

Frequency Bandwidth:	5.5 – 18 MHz
Exam Types:	Breast, Cerebrovascular, Digital, Musculoskeletal, Penile, Peripheral Vascular, Testicle, Thyroid

Design Attributes:

- Hanafy lens transducer technology
- Ergonomic design with Elastogrip ergonomic grip coating
- Extra-long cable (2.1 m) for ease of use
- User-selectable MultiHertz imaging



14L5 SP Transducer

Frequency Bandwidth:	5 – 14 MHz
Exam Types:	Breast, Cerebrovascular, Digital, High Framerate, Penile, Intraoperative Abdomen, Intraoperative Vascular, Musculoskeletal, Testicle, Thyroid

Design Attributes:

- Lightweight transducer with flexible cable
- Ergonomically designed form factor
- Virtual format imaging
- Sterilizable high resolution linear array for special applications
- User-selectable MultiHertz imaging



14L5 Transducer

Frequency Bandwidth:	5 – 14 MHz
Exam Types:	Breast, Cerebrovascular, Digital, Musculoskeletal, Penile, Peripheral Vascular, Testicle, Thyroid

Design Attributes:

- Multi-D matrix transducer
- Ergonomically designed form factor
- Lightweight transducer with flexible cable
- Virtual format imaging
- User-selectable MultiHertz imaging



9L4 Transducer

Frequency Bandwidth:	4 – 9 MHz
Compatible With:	ACUSON Sequoia ultrasound system
Exam Types:	Breast, Cerebrovascular, Digital, Fetal Echo, Musculoskeletal, OB/GYN, Pediatric Abdomen, Pediatric Hip, Pelvis, Penile, Peripheral Vascular, Testicle, Thyroid

Design Attributes:

- Multi-D matrix transducer
- Ergonomically designed form factor
- Lightweight transducer with flexible cable
- User-selectable MultiHertz imaging
- Harmonic Compounding



V7M Transducer

Frequency Bandwidth:	4.0 – 8.0 MHz
Compatible With:	ACUSON Sequoia ultrasound system
Exam Types:	Pediatric and adult transesophageal echo

Design Attributes:

- Endoscope diameter = 7.0 mm; length = 70 cm
- Small tip size for increased patient comfort: width = 10.9 mm, thickness = 8.0 mm, circumference = 22 mm
- Ergonomic design featuring one-hand control
- Manual rotation: -10° – 190°
- Vector wide-view imaging format phased array
- User-selectable Wideband MultiHertz imaging
- DTI™ Doppler tissue imaging



V5Ms Transducer

Frequency Bandwidth:	3 – 7 MHz
Compatible With:	ACUSON X300™ ultrasound system ACUSON X300™ ultrasound system, premium edition (PE) ACUSON Sequoia ultrasound system ACUSON Antares™ ultrasound system ACUSON CV70™ cardiovascular system ACUSON Cypress™ cardiovascular system ACUSON Aspen ultrasound system
Exam Types:	Transesophageal echo

Design Attributes:

- Endoscope diameter = 10.5 mm, length = 110 cm
- Adult tip size: width = 14.5 mm, height = 11.5 mm
- Ergonomic design featuring one-hand control with variable speed rotation: 90° per sec
- RF shielding
- User-selectable MultiHertz imaging



CW5 Transducer

Selectable CW Doppler Frequencies:	5 MHz
Compatible With:	ACUSON Antares ultrasound system ACUSON X500™ ultrasound system ACUSON X300 ultrasound system SONOLINE G60 S™ ultrasound system ACUSON CV70 cardiovascular system
Exam Types:	Adult Echo, Cerebrovascular, Neonatal Echo, Peripheral Vascular, Pediatric Echo, Transcranial



CW2 Transducer

Selectable CW Doppler Frequencies:	2 MHz
Compatible With:	ACUSON Antares ultrasound system ACUSON X500 ultrasound system ACUSON X300 ultrasound system SONOLINE G60 S ultrasound system ACUSON CV70 cardiovascular system
Exam Types:	Adult Echo, Cerebrovascular, Neonatal Echo, Pediatric Echo, Peripheral Vascular, Transcranial



AcuNav 8F⁺

Frequency Bandwidth:	4.0 – 10.0 MHz
Compatible With:	ACUSON Sequoia C512 echocardiography system ACUSON Sequoia C256 echocardiography system ACUSON CV70 cardiovascular system ACUSON Cypress cardiovascular system ACUSON P50™ ultrasound system ACUSON S2000 ultrasound system
Applications:	Adult intracardiac echocardiography

Design Attributes:

- 8 french catheter (2.7 mm diameter)
- 90 cm insertable length
- Sterile, single-use advanced miniaturization ACUSON AcuNav™ ultrasound catheter family
- Reusable SwiftLink™ catheter connector
- Four-way steering in two planes: 160° in each direction
- Longitudinal side-fire imaging
- Vector imaging format
- DTI capability

Requires cardiac package.



AcuNav 10F⁺

Frequency Bandwidth:	4.0 – 10.0 MHz
Compatible With:	ACUSON Sequoia C512 echocardiography system ACUSON Sequoia C256 echocardiography system ACUSON CV70 cardiovascular system ACUSON Cypress cardiovascular system ACUSON P50 ultrasound system ACUSON S2000 ultrasound system
Applications:	Adult intracardiac echocardiography

Design Attributes:

- 10 french catheter (3.3 mm diameter)
- 90 cm insertable length
- Sterile, single-use advanced miniaturization ACUSON AcuNav ultrasound catheter family
- Reusable SwiftLink catheter connector
- Four-way steering in two planes: 160° in each direction
- Longitudinal side-fire imaging
- Vector imaging format
- DTI capability

Requires cardiac package.

Frequency Bandwidth measurements represent bandwidth at ± 20 dB.

AcuNav, ACUSON, Antares, Aspen, CV70, Cypress, DTI, ElastoGrip, G60 S, Multi-D, MultiHertz, P50, S2000, Sequoia, SwiftLink, Vector, X300 and X500 are trademarks of Siemens Medical Solutions USA, Inc.

DS 0911 | © 09.2011, Siemens Medical Solutions USA, Inc.

Global Siemens Headquarters

Siemens AG
Wittelsbacherplatz 2
80333 Muenchen
Germany

Global Siemens Healthcare Headquarters

Siemens AG
Healthcare Sector
Henkestrasse 127
91052 Erlangen
Telephone: +49 9131 84-0
Germany

www.siemens.com/healthcare

Legal Manufacturer

Siemens Medical Solutions USA, Inc.
Ultrasound
1230 Shorebird Way
Mountain View, CA 94043
USA
Telephone: 1-888-826-9702
www.siemens.com/ultrasound